


# 802.1x Windows 7

If this is the first time that the computer is connected via 802.1x authentication must enable the service.


## Enabling the service

- click the **Start** button in the Search box, type **services.msc** and then press ENTER,
- on the *Services* tab that opens, look for the service named **Wired AutoConfig** right-click and select **Properties**,
- change the item **Startup type** from *Manual* to **Automatic**,
- if the service status is *Stopped*, click on the **Start** button.




## Settings Suppliant 802.1x

- Open the settings for the network adapter: DX-click on the icon of the LAN connection (lower right) then select *Open Network and Sharing Center*, click on *Change adapter setting*,
- DX-click on the connection for which you want to enable 802.1x authentication then select **Properties**,
- click on tab **Authentication** and then select the check boxes:
  - *Enable IEEE 802.1X authentication*,
  - *Remember my credentials...*,
  - *Fallback to unauthorized....*




- Click on the button **Settings** and on the Protected EAP Properties window that appears check that:
  - is checked *Validate server certificate* choosing from the *Trusted Root Certification Authorities* the voice *AddTrust External CA Root*,
  - is checked *Connect to these servers* stating the following (separated by ;) *nps1.unitn.it;nps2.unitn.it;nps3.unitn.it*,
  - the authentication method selected is *Secured password (EAP-MSCHAP v2)*.




The following configuration is required only for PC **NOT** in the UNITN domain (for PC in the UNITN domain skip this step)


- Click the **Configure** button, then from the Properties window that appears EAP MASCHAPv2 **deselect** the item *Automatically use....* as shown below:



- Click the button **Additional Settings...** for the tab *Properties - Local Area Connection (LAN)* and on the tab *Advanced setting* that will appear check:
  - that the item *Specify authentication mode* is checked, choosing among:
    - User authentication* (For computer **NOT** in UNITN domain),
    - User or computer authentication* (For computer in UNITN domain),
  - click on the button **Save Credetials**.



- After connecting the network cable when prompted, enter your unitn credentials




In the event that the credentials are not recognized you will be automatically redirected to a Captive Portal authentication.

## Problems

Force the reauthentication:

- Unselect *Remember my credentials...* then deactivate/activate the network card:



From:

<https://wiki.unitn.it/> - **Wiki UniTn**

Permanent link:

<https://wiki.unitn.it/pub:win-7-en>

Last update: **2013/10/22 13:09**

